


NMC

THE TRUSTED NAME IN FLUORESCENT FITTINGS

NMC 'AMR' SERIES—ALUMINIUM MIRROR REFLECTOR



This is designed for the lighting requirements allowing directional control of light rays and gives a mirror reflection. They are light weight, durable and its illumination efficiency makes it extremely suitable for offices and commercial interior lightings.


NMC NMC LIGHTING INDUSTRIES SDN. BHD.

LOT P.T. 3963 BATU KARANG, P.O. BOX 5,
31900 KAMPAR, PERAK, MALAYSIA.
TEL: 05-4669437, 4669446, 4664552
FAX: 605-4664030



RECESSED ALUMINIUM MIRROR REFLECTOR FITTING 'AMR' SERIES

Square & Rectangular Fitting Complete with Aluminium Mirror Reflector.



AMR 240 TM

Model	For Lamps	L	L _i	W	H
AMR 1120 TM	1 x 20 W	610	605	300	95
AMR 1220 TM	2 X 20 W	610	605	300	95
AMR 220 TM	2 x 20 W	610	605	605	95
AMR 320 TM	3 x 20 W	610	605	605	95
AMR 420 TM	4 x 20 W	610	605	605	95
AMR 1140 TM	1 x 40 W	1220	1212	300	95
AMR 1240 TM	2 x 40 W	1220	1212	300	95
AMR 240 TM	2 x 40 W	1220	1212	605	95
AMR 340 TM	3 x 40 W	1220	1212	605	95
AMR 440 TM	4 x 40 W	1220	1212	605	95



Dimensions in (mm)



For Surface Mounting.

Model	For Lamps	L	W	H
AMR 1120 TMS	1 x 20 W	610	300	97
AMR 1220 TMS	2 X 20 W	610	300	97
AMR 220 TMS	2 x 20 W	610	605	97
AMR 320 TMS	3 x 20 W	610	605	97
AMR 420 TMS	4 x 20 W	610	605	97
AMR 1140 TMS	1 x 40 W	1220	300	97
AMR 1240 TMS	2 x 40 W	1220	300	97
AMR 240 TMS	2 x 40 W	1220	605	97
AMR 340 TMS	3 x 40 W	1220	605	97
AMR 440 TMS	4 x 40 W	1220	605	97

Dimensions in (mm)




AMR 240 TMS

For Wooden or Plaster Ceiling.

Model	For Lamps	L	L _i	W	W _i	H	H _i
AMR 1120 TMW	1 x 20 W	610	635	300	331	90	97
AMR 1220 TMW	2 X 20 W	610	635	300	331	90	97
AMR 220 TMW	2 x 20 W	610	635	605	636	90	97
AMR 320 TMW	3 x 20 W	610	635	605	636	90	97
AMR 420 TMW	4 x 20 W	610	635	605	636	90	97
AMR 1140 TMW	1 x 40 W	1220	1245	300	331	90	97
AMR 1240 TMW	2 x 40 W	1220	1245	300	331	90	97
AMR 240 TMW	2 x 40 W	1220	1245	605	636	90	97
AMR 340 TMW	3 x 40 W	1220	1245	605	636	90	97
AMR 440 TMW	4 x 40 W	1220	1245	605	636	90	97

Dimensions in (mm)



AMR 240 TMW

NMC 'AMR' SERIES is well designed with high efficiency for broad light distribution. Specular clear anodized Aluminium louvre is accurately profiled to give an evenly luminosity level and appearance. This attractive and reliable design incorporates hanger spring latch system for easy maintenance which is most suitable for commercial and office interiors.




STANDARD CHANNEL FITTING 'C' SERIES.


Channel Fitting

Model	For Lamps	L	W	W _i	H	H _i
C 110	1 x 10 W	355	51		76	36
C 115	1 x 15 W	459	51		76	36
C 120	1 x 20 W	610	51		76	36
C 130	1 x 30 W	920	51		76	36
C 140	1 x 40 W	1220	51		76	36
C 240	2 x 40 W	1220	51	100	76	36

Dimensions in (mm)




C 140





Channel Fitting c/w Angle Reflector.

Model	For Lamps	L	W	W _i	H	H _i
C 110 AR	1 x 10 W	355	51	57	138	36
C 115 AR	1 x 15 W	459	51	57	138	36
C 120 AR	1 x 20 W	610	51	57	138	36
C 130 AR	1 x 30 W	920	51	57	138	36
C 140 AR	1 x 40 W	1220	51	57	138	36
C 240 AR	2 x 40 W	1220	51	145	157	36

Dimensions in (mm)



C 140 AR




C 240 MR

Channel Fitting c/w Metal Reflector.

Model	For Lamps	L	W	W _i	H	H _i
C 110 MR	1 x 10 W	355	51	159	80	36
C 115 MR	1 x 15 W	459	51	159	80	36
C 120 MR	1 x 20 W	610	51	159	80	36
C 130 MR	1 x 30 W	920	51	159	80	36
C 140 MR	1 x 40 W	1220	51	159	80	36
C 240 MR	2 x 40 W	1220	51	222	80	36


Dimensions in (mm)



NMC 'C' SERIES is the basic standard channel fluorescent fittings made from heavy gauge metal and finished with hard baked enamel paint for maximum durability and reflectivity. Ideally suitable for domestic and industrial lighting which required minimal directional control of illumination.



DIAKON DIFFUSER FITTING




SD 140

Slim and modern in design, the round prismatic is snap-on with ABS end caps. It is ideal for lighting corridors, washroom, side walks or stairways.

Model	For Lamps	L	L _i	W	W _i	H	H _i
SD 120	1 x 20 W	610	625	57	68	40	100
SD 220	2 x 20 W	610	625	57	128	40	94
SD 140	1 x 40 W	1220	1235	57	68	40	100
SD 240	2 x 40 W	1220	1235	57	128	40	94

Dimensions in (mm)






SUSPENSION SYSTEM

The suspension rod is ideally designed for high ceiling to provide lower level for light fittings.


Model	L	L _i	W	H	H _i
SS 12	505	457	50	330	24
SS 18	505	457	50	480	24
SS 24	505	457	50	635	24

Dimensions in (mm)



SS 18

ACCESSORIES - LAMP/STARTER HOLDERS



Our Lamp/Starter Holders are manufactured from high quality polycarbonate and Phosphor Bronze. They are made in-house so as highest quality is maintained.

Model :

N100 - Lamp Holder.

N110 - Lamp Holder.

N120 - Starter Holder.

N130 - Starter Holder - Mini.

N410 - Lamp Holder - Mini.

N420 - Lamp/Starter Holder.

N210 - Twin Holder.

Marketed by:

NMC MARKETING SDN. BHD.

(No. SYKT: 123241-K)